# **Space Saver**

Installation, commissioning and user manual





SS5 Economy | SS7 Economy

#### Contents

Introduction	2
Declaration of conformity	2
Symbols used in this guide	3
Important safety and installation instructions	3/4
Application	5
Product Information	5
Installation	6
Commissioning	7
Fault finding	7
User Manual	8
Important safety guidance	9
Introduction	10
Operation	10
Fault finding	10
Registering your product	11
Disposal	11
After sales and spares	11

### Introduction

The following items are included in the carton:

- Product complete with white grille and pre-wired mains cable.
- Fixing screws (2).

Please leave this Installation and User Guide with the owner of the property.

# Declaration of conformity

EC Declaration of conformity

We, Smith's Environmental Products Limited 1-2 Blackall Industrial Estate South Woodham Ferrers Chelmsford Essex CM3 5UW

Tel: 01245 324900 Fax: 01245 324422

Declare under sole responsibility that the products:

Product name: Space Saver

Product range:

SS5 Economy, SS7 Economy

Listed above conforms with the following European Union directives: Low Voltage Directive (73/23/EEC) EMC Directive (89/336/EEC) Pressure Equipment Directive (97/23/EC) Machinery (98/37/EC)

Standards comply with the above directives.

Safety Directive Standards:

EN 60335-2-80:2003 + A1:04 in conjunction with EN 60335-1:2002 + A11:04 + A1:04 + A12:06 + A2:06 With UK deviations

This Declaration is made on behalf of Smith's Environmental Products Limited by:

Jim Bennett Global Sales and Marketing Director

Lin Romett

## **Symbols**

This manual contains information and prescriptions marked by the following symbols.



Ignoring these safety provisions marked by the symbol "caution: hazard" may endanger the safety of people.



Ignoring these safety provisions marked by the symbol "caution: electricity" may endanger the safety of people, as well as the integrity of things.



The removal of the screws can cause the output of hot fluids under high pressure from heating system. Drain the system or close the isolating valves.



High temperature surface. Take utmost care to prevent people from getting in contact with the hot surfaces of the appliance.

# Important safety and installation instructions

Prior to installation, read these installation and operating instructions. The installation and operation should also be in accordance with national regulations and accepted codes of good practice.



This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.

To guard against injury, basic safety precautions should be observed, including the following:

- 1. Read and follow all safety instructions and all the important notices on the appliance before installing, using and maintaining the appliance. Failure to do so may cause personal injury or damage to the appliance or installation.
- 2. Always disconnect electrical supply before putting on or taking off parts and whilst the equipment is being installed, maintained or handled. Never work with bare feet and/or with wet hands
- 3. To avoid possible electric shock, special care should be taken since water is used with electrical equipment. Carefully examine the appliance before and after installation. Do not operate the appliance if it has a damaged supply cord or enclosure, or if it is malfunctioning or it is dropped or damaged in any manner. Inspect the appliance periodically.

The appliance should not be electrically supplied if there is water on parts not intended to



4. Risk of scalding. To avoid injury before any servicing operation wait until the water has cooled inside the appliance. Do not touch the fluid or the appliance when temperature is higher than 60°C.

# Important safety and installation instructions

Prior to installation, read these installation and operating instructions. The installation and operation should also be in accordance with national regulations and accepted codes of good practice.



5. Improper use.

This is an appliance to be used in heating systems with clean water without abrasive particles.

Do not use this appliance:

- With liquids other than water (e.g. flammable liquids, etc.) (EN60335-2-51);
- In locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas) (EN60335-2-51);
- For other than intended use
- 6. Installation.

The appliance must be mounted in a stable/fixed position in a dry, well ventilated, frost-free, waterproof and protected place, with sufficient ventilation around it. Make sure that the appliance is securely and correctly installed before operating it and that there is enough room around it for maintenance operations, dismantling, checking for free inspection.

The maximum ambient temperature at which the appliance is to be used is 40°C (EN60335-2-51).



7. Electric connection

IMPORTANT: Connection to the power supply must be effected by means of a fixed power cable which is fitted with a plug-type connection or a two pole isolating switch with a minimum contact opening of 3 mm.

Electrical connection must be carried out by a qualified electrician and in accordance with local regulations and both data on the name-plate and the appropriate diagram inside the terminal box cover.

Follow all safety standards.

- 8. Connect the appliance only to a mains supply protected by a Residual Current Device (RCD or Ground-Fault Circuit-Interrupter) with a rated residual operating current not exceeding 30mA.
- 9. Prior to any modification being made to the equipment, it must be agreed with and authorised by the manufacturer. Original spare parts and accessories authorised by the manufacturer are integral part contributing to the safety of the equipment and of the machines. The use of non original components or accessories may endanger the safety and causes the termination of the warranty. Safe operation is only assured for the applications and conditions described in Application of this manual.

Non-observance of the safety instructions results in the loss of any claims to damages.

The indicated limit values are binding and cannot be exceeded for any reason whatsoever.

KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE

## **Application**

Space Saver is primarily intended for installation in the space beneath kitchen cupboards behind the plinth. However, it can be also installed in similar applications such as stair cases and other built-in furniture.

This Space Saver model must NOT be installed in a bathroom or other areas of high humidity. Please contact us on +44 (0) 1245 324560 for details of products suitable for these applications.

Space Saver is designed for use on standard twopipe pumped central heating systems. Pipes are 15mm and either may be used as flow or return. This product is not suitable for one-pipe system.


It is recommended that this product is connected to the central heating system using Smith's 15mm flexible hoses (accessory part code HAGA95002). This will allow access to the product once installed.

In line with best practice isolating valves (not supplied) should be fitted to the system flow and return pipes. Failure to fit isolating valves may mean that the product is not serviceable in the event of failure.

To conform with Building Regulations Part L (Part J in Scotland), a remote room thermostat (Smith's Part No. 08-0826) can be used in conjunction with this Space Saver fan convector.

Please note the guarantee may be invalidated if this product is not installed and used in accordance with this guide.

#### Product dimensions



SS5 Economy, SS7 Economy

# Product performance

#### Heat output


		Heat Output							
Model	Room size guide* (m³)	80° Normal (kW)	75° Normal (kW)	70° Normal (kW)	65° Normal (kW)	60° Normal (kW)	55° Normal (kW)	50° Normal (kW)	45° Normal (kW)
Hydronic									
SS5 Economy	37	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6
SS7 Economy	46	1.6	1.4	1.3	1.2	1.1	1.0	0.9	0.8

<sup>\*</sup>Room sizes given in cubic metres for general guidance only based on normal heat output (80°C) for domestic applications - always calculate heat losses. Heat outputs tested in accordance with BS4856 using entering water temperature and 340 l/h (75gph) flow rate.

#### Installation

#### 1. Cut the opening in the plinth

- To ensure adequate airflow, a minimum clearance of 20mm between the top of the product and any shelving is essential.
- To avoid the possibility of vibration, this product must be installed on a flat, even surface.
- There must be no rear access to the product after completion of the installation.




- We recommend the use of a knee pad when installing this product.
- Cut the opening in the plinth to the size shown in the table. Use method 1 or 2

Model	Width A (mm)	Height B* (mm)
SS5 Economy	465	96
SS7 Economy	465	96

\* The overall height of the grille is 100mm. Use care when cutting the opening.

#### **2.** Fit isolating valves (not supplied)




- Fit isolating valves (not supplied) to the system flow and return pipes. In order to achieve the highest level of performance we recommend full bore valves.
- Failure to fit isolating valves may mean that the product is not serviceable in the event of failure.


It is recommended that this product is connected to the central heating system flow and return pipes with flexible hoses (not supplied but available as accessory part code HAGA95002) between system pipework and heater. Ensure the flexible hoses are not kinked.

• Open the isolating valves and check for leaks. N.B. either pipe may be used on flow or return.

#### 3. Vent air through bleed




### **4.** Connection to power supply



- Isolate electrical supply and connect the heater's electric cable to the fused spur (3A).
- Ensure the fused spur is not directly above the heater and is accessible after installation. is complete.


Space Saver is classified as a fixed appliance and electrical connection should be via a double pole 3A fused spur with a minimum contact gap of 3mm. If the pre-wired mains cable is damaged, it must be replaced by either the manufacturer, its service agent or similarly qualified persons. The appliance must be earthed.

#### 5. Position heater



Position the heater, making sure the flexible hoses. if fitted, are not kinked and the electrical cable is not snagged.

#### 6. Fix to plinth



Fix the heater to the plinth using the screws provided and by means of the holes positioned to left and right hand sides.

## Commissioning

- 1. Turn on the electrical supply at the fused spur.
- 2. Turn on the central heating system and set any room thermostat/s to maximum.
- 3 Within a few minutes (10-15 mins) the fan should run and heat will flow.
- 4. Balance the central heating system if Space Saver is installed on the same circuit as panel radiators.
- 5. When the installation is working correctly, remember to reset any room thermostat(s) to its normal setting.

# Fault finding


In the event of any difficulty, please contact us on +44 (0) 1245 324560.

It will be more helpful if you do not remove the product from the central heating system.

Fault	Checking/Solution
No heat output	Check the power supply is switched ON  If possible, check that both the copper pipes on the side of the unit are hot  Ensure any flexible connections are not kinked  If fitted, ensure any room thermostats are calling for heat  Balance the central heating system if installed on same circuit as panel radiators and increase the circulating pump speed if required  Increase the boiler water temperature  Check the service valves are open
	Bleed air from appliance

# Space Saver

User manual



SS5 Economy | SS7 Economy

## Important safety and installation instructions

Please read this user manual before operating this appliance. The operation should also be in accordance with national regulations and accepted codes of good practice.



This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.

To guard against injury, basic safety precautions should be observed, including the following:

- 1. Read and follow all safety instructions and all the important notices on the appliance before installing, using and maintaining the appliance. Failure to do so may cause personal injury or damage to the appliance or installation.
- 2. Always disconnect electrical supply before putting on or taking off parts and whilst the equipment is being installed, maintained or handled. Never work with bare feet and/or with wet hands.
- 3. To avoid possible electric shock, special care should be taken since water is used with electrical equipment. Carefully examine the appliance before and after installation. Do not operate the appliance if it has a damaged supply cord or enclosure, or if it is malfunctioning or it is dropped or damaged in any manner. Inspect the appliance periodically.

The appliance should not be electrically supplied if there is water on parts not intended to be wet.



4. Risk of scalding. To avoid injury before any servicing operation wait until the water has cooled inside the appliance. Do not touch the fluid or the appliance when temperature is higher than 60°C.



5. Improper use. This is an appliance to be used in heating systems with clean water without abrasive particles.

Do not use this appliance:

- With liquids other than water (e.g. flammable liquids, etc.) (EN60335-2-51);
- In locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust. vapour or gas) (EN60335-2-51):
- For other than intended use.

Non-observance of the safety instructions results in the loss of any claims to damages.


The indicated limit values are binding and cannot be exceeded for any reason whatsoever. KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE.



#### How it works

Hot water from your central heating system passes through a heat exchanger transferring its heat to the aluminium fins. Cooler air is drawn in by the fan and heated as it passes through the heat exchanger before being discharged gently back into the room. This not only gives a more even temperature spread, but will heat up a room quicker than a traditional panel radiator.

Space Saver includes an internal thermostat that prevents the fan from operating until the central heating system water passing through the heat exchanger reaches 38°C. This prevents the Space Saver circulating cooler air at start up.



## How to operate

Your Space Saver fan convector is designed to operate as part of your central heating system in the same way as a panel radiator.

Ensure your central heating system is on. Providing the water temperature in the system is more than 38°C and the thermostat controlling your central heating system is calling for heat, your Space Saver will switch on.

## Fault finding

This Space Saver is covered by a free 2-year parts and labour guarantee.

Please refer to the Fault finding table below for advice. In the event of difficulty, please contact us on +44 (0) 1245 324560.

It will be helpful if you do not disconnect the Space Saver from your central heating system.

Fault	Checking/Solution	
No heat output	Check the power supply is switched ON	
	If possible, check that both the copper pipes on the side of the unit are hot	
	Ensure any flexible connections are not kinked	
	If fitted, ensure any room thermostats are calling for heat	
	Balance the central heating system if installed on same circuit as panel radiators and increase the circulating pump speed if required	
	Increase the boiler water temperature	
	Check the service valves are open	
	Bleed air from appliance	

# Registering your product

Thank you for purchasing a Smith's product. It has been designed and manufactured to the highest quality standards to ensure it gives you efficient and trouble-free service for many years. To back up our commitment, included with your product is the following warranty:

#### 2 years from date of purchase

This gives you the peace of mind that in the unlikely event of product failure, we will repair or replace the product completely free of charge providing the product has been installed, used and maintained in accordance with the instructions. Your statutory rights are not affected by this warranty.

It is important to register as soon as possible online at: smithsep.co.uk/product-registration/. This will ensure you will receive prompt and efficient service if your product requires attention within the warranty period. If you do not register your product, you will be required to produce proof of purchase prior to receiving service.

For more details please visit our website: SmithsEP co.uk

## Disposal

Products with this symbol (crossed out wheelie bin) cannot be disposed as household waste. Old electrical and electronic equipment must be recycled at a facility capable of handling these products and their waste by-products. If you are purchasing replacement equipment your retailer may offer a 'take back' scheme, or will be able to give details of the nearest approved authorised treatment facility. Proper recycling and waste disposal will help conserve resources whilst preventing detrimental effects on our health and the environment

WEEE Registered Code: WEE/ED0093VW













# After sales and spares

If you experience any problems with the use of your product, please contact our after-sales office +44 (0) 1245 324560.

For product information, customer services or sales support call us on +44 (0) 1245 324900

For the Republic of Ireland, contact MT Agencies on 01 864 3363

Sales: sales@SmithsEPco.uk

General information: info@SmithsEPco.uk

Smith's Environmental Products Ltd. Blackall Industrial Estate. South Woodham Ferrers. Chelmsford, Essex CM3 5UW

SmithsEP co.uk

@SmithsEP UK

#ThinkSmiths



#### Happy to help

Smith's Environmental Products Ltd is one of the leading manufacturers of heating and cooling products in the UK. We are committed to achieving the highest standards and our faith is supported by a free two year parts and labour guarantee. Our customer service is second to none and we are happy to offer any help and guidance that you might need.

#### Stockists

All products are available nationally from Builders' Merchants, Plumbers' Merchants, Heating Equipment Distributors and Kitchen Equipment Distributors. In the event of difficulty, please contact us or visit our website SmithsEP.co.uk for details of your nearest stockist.

#### Information and advice

Full technical specifications and list prices is available to download from our website or in hard copy from our office. Also available on our website are price lists, individual product data sheets, installation & user guides, where to buy, who to contact and a media centre.

Alternatively contact our office 9.00am to 5.00pm Monday to Friday.

As part our commitment to continuous improvement Smith's Environmental Products may change the specifications of its products without prior notification or public announcement. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. All dimensions are in mm unless otherwise stated.

# To view the full product information download the datasheet at: www.SmithsEP.co.uk

For product information, customer services or sales support call us on **+44 (0) 1245 324900** 

For the Republic of Ireland, contact MT Agencies on 01 864 3363

Sales: sales@SmithsEP.co.uk
General information: info@SmithsEP.co.uk

Smith's Environmental Products Ltd Blackall Industrial Estate, South Woodham Ferrers, Chelmsford, Essex CM3 5UW

SmithsEP.co.uk

@SmithsEP UK

#ThinkSmiths

Issue 001 | October 2019